## RECEIVED CENTRAL FAX CENTER

SEP 2 7 2007

## IN THE CLAIMS:

1	1. (currently amended) A video system comprising:
2	a system controller module, consisting of one receiver, operative to
3	receive and process one or more input signals to provide one or more video
4	files, wherein the system controller module provides a user-selectable
5	option of editing one or more sections of the one or more video files, and
6	wherein the system controller module does not include a separate program
7	information receiver, and does not include a temporary recording
8	controller;
9	an internal fixed storage device operatively coupled to the system
0	controller module, wherein the internal fixed storage device is configured
1	to store the one or more video files from the system controller module; and
2	an internal removable media storage device operatively coupled to
3	the system controller module, wherein the internal removable media
4	storage device is configured to store the one or more video files from the
5	system controller module or the internal fixed storage device.
1	2. (original) The video system of claim 1, wherein the system controller
2	module includes:
3	a tuner configured to receive and process the one or more input
4	signals and provide video information,
5	a processing module coupled to the tuner, wherein the processing
6	module is configured to receive and process a signal from the tuner and to
7	provide an output video signal, and
8	a memory unit configured to store the one or more video files.
1	3. (original) The video system of claim 2, wherein the system controller
2	module further includes:
3	a decoder coupled to the tuner, wherein the decoder is configured to
4	receive and decode video data from the tuner to provide a decoded file

- 4. (original) The video system of claim 3, wherein the system controller
- 2 module further includes:
- a coder/decoder (Codec) operatively coupled to the decoder,
- 4 wherein the coder/decoder is configured to receive and compress the
- 5 decoded file to provide a compressed video file suitable for storage to the
- 6 internal fixed storage device or the internal removable media storage
- 7 device.
- 1 5. (original) The video system of claim 4, wherein the Codec is configured
- 2 to compress the decoded file in accordance with a particular compression
- 3 algorithm selected from among a plurality of available compression
- 4 algorithms.
- 1 6. (original) The video system of claim 5, wherein the particular
- 2 compression algorithm is user-selectable.
- 7. (original) The video system of claim 1, wherein the system controller
- 2 module is further configurable to receive and process one or more video
- 3 files from the internal fixed storage device or the internal removable media
- 4 storage device.
- 1 8. (original) The video system of claim 1, wherein the system controller
- 2 module is further configurable to capture an interval of a particular input
- 3 signal and to store the captured data within a video file suitable for replay
- 4 at a later time.
- 9. (original) The video system of claim 8, wherein the interval of a
- 2 particular input signal is user-selectable.
- 1 10. (original) The video system of claim 1, wherein the system controller
- 2 module is further configurable to capture selected sections of a particular

- 3 input signal and to store the selected sections of a particular input signal
- 4 within a video file suitable for replay at a later time.
- 1 11. (original) The video system of claim 10, wherein the selected sections
- 2 of the input signal do not include advertisements.
- 1 12. (previously presented) The video system of claim 1, wherein the
- 2 system controller module is further configurable to manipulate sections of
- 3 at least one video file using optimized head movement via a set of
- 4 functions.
- 1 13. (original) The video system of claim 12, wherein the set of functions
- 2 includes functions selected from the group of functions consisting of cut,
- 3 copy, paste, or a combination thereof.
- 1 14. (original) The video system of claim 1, wherein each video file is
- 2 stored to the internal fixed storage device as one or more records.
- 1 15. (withdrawn) A method for storing video data to a storage device,
- 2 comprising:
- forming one or more records implemented as a link list, wherein
- 4 each record includes a first field for storing an address of a next record, if
- 5 one exits, and a second field for storing at least a portion of the video data.
- 1 16. (withdrawn) The method of claim 15, wherein the one or more records
- 2 are implemented as a doubly-linked list, and wherein each record further
- 3 includes a third field for storing an address of a previous record, if one
- 4 exits.
- 1 17. (withdrawn) The method of claim 15, further comprising:

- writing records for a first video file to a first area of the storage
- 3 device; and
- 4 reading records for a second video file from a second area of the
- 5 storage device.
- 1 18. (withdrawn) The method of claim 17, wherein the writing and reading
- 2 functions are substantially performed concurrently.
- 1 19. (withdrawn) The method of claim 18, further comprising:
- 2 synchronizing the writing and reading of the storage device.
- 1 20. (withdrawn) The method of claim 15, wherein the storage device
- 2 includes a plurality of platters, each platter includes a plurality of tracks,
- 3 and corresponding tracks on the plurality of platters comprise a cylinder.
- 1 21. (withdrawn) The method of claim 20, further comprising:
- 2 reading records for a first video file from a particular track on a first
- 3 platter of a particular cylinder; and
- 4 writing records for a second video file to a corresponding track on a
- 5 second platter of the particular cylinder.
- 1 22. (withdrawn) The method of claim 20, wherein each track includes a
- 2 plurality of sectors, and wherein each record is stored to one or more
- 3 sectors on one or more tracks.
- 1 23. (withdrawn) The method of claim 22, wherein each record is
- 2 partitioned into one or more sections, and wherein each section is stored to
- 3 a respective sector of the storage device.
- 1 24. (withdrawn) The method of claim 22, wherein the one or more sections
- 2 for each record are implemented as a doubly-linked list.

- 25. (withdrawn) The method of claim 22, wherein each record is stored as
  a selectable number of sectors of the storage device.
- 2 d belocable number of sectors of the storage device.
- 1 26. (withdrawn) A video recording storage system, comprising:
- 2 a media content delivery system;
- a first switch, coupled to the media content delivery system;
- 4 a second switch including a cable modern termination system,
- 5 wherein the second switch is coupled to the first switch;
- a block splitter, coupled to the second switch and the cable modem
- 7 termination system;
- 8 one or more cable modems, wherein the one or more cable modems
- 9 are coupled to the block splitter;
- one or more personal computers, coupled to the one or more cable
- 11 modems, respectively; and
- one or more displays, coupled to the one or more personal
- 13 computers, respectively.
- 1 27. (withdrawn) The video recording storage system of claim 26, further
- comprising a cable modem and a PowerTV operating system inside a
- 3 commercially available system.